


Category 5e 24 port coupler panel



Category 5e 24 port coupler panel (FFK24pt)

High performance Category 5e through coupler panel offering exceptional value for money.

Features

- Mounts to any 19 inch rack, cabinet or wall bracket
- Fixed rear cable management
- Panel includes: 24 x Category 5e couplers preassembled into metal keystone panel, 4 sets of M6 black cage nuts

Specifications

- Weight: 744g (approx.)
- Dimensions: 483 x 102.5 x 45mm (W x D x H)
- Colour
 - Front panel: Black
 - Rear panel: Silver
 - Category 5e couplers: Black

Materials:





- Panel front: Cold-rolled steel sheet, 1.5mm thickness, painted black
- Rear panel: Nickel plated
- Coupler shell: ABS
- Contacts: Phosphor bronze with 15µ"/0.38µm gold plating

19/04/2016


TUK Ltd, Unit 4, Wimbledon Stadium Business Centre, Riverside Road, London SW17 0BA

ROHS Compliant

Code: FFK24pt



4sets of M6 black cage nuts included



Material:

Panel frame: cold-roll steel sheet, 1.5mm thickness

Coupler shell: ABS

Socket pins: phosphor bronze with 15u" gold plating

ART NO.		Code:	FFK24pt
DESIGN		Description:	24 port keystone panel with rear cable management bar equipped with Category 5e inline coupler
CHECK			
APPROVAL			
TUK Ltd			

TUK Ltd, Unit 4, Wimbledon Stadium Business Centre, Riverside Road, London, SW17 0BA

Category 5e 24 port coupler panel



Category 5e 24 port coupler panel (FFK24pt2)

High performance Category 5e through coupler panel offering exceptional value for money.

Features

- Mounts to any 19 inch rack, cabinet or wall bracket
- Panel includes: 24 x Category 5e couplers preassembled into metal keystone panel, 4 sets of M6 black cage nuts

Specifications






- Weight: 560g (approx.)
- Dimensions: 483 x 33 x 45mm (W x D x H)
- Colour
 - Front panel: Black
 - Rear panel: Silver
 - Category 5e couplers: Black

Materials:

- Panel front: Cold-rolled steel sheet, 1.5mm thickness, painted black
- Rear panel: Nickel plated
- Coupler shell: ABS
- Contacts: Phosphor bronze with 15µ"/0.38µm gold plating

ROHS Compliant

Code: FFK24pt2



4sets of M6 black cage nuts
included

Material:

Panel frame: cold-roll steel sheet, 1.5mm thickness

Coupler shell: ABS

Socket pins: phosphor bronze with 15u" gold plating

Code:	FFK24pt2
Description:	24 port keystone panel with rear cable management bar equipped with Category 5e inline coupler