

24 port 0.5U unpopulated FTP keystone panel with cable management bar



24 port 0.5U unpopulated FTP keystone panel (FFK24mt0.5su)

This 0.5U panel is ideal for high density mounting of 24 shielded or unshielded keystones. The attractive nickel-plated finish introduces a new and aesthetically enhanced style to shielded cabinet installations. The removable rear cable management bar can be fitted without the need for any tools or fixings by simply snapping it into place.

Features

- 0.5U nickel-plated frame design ideal for high density (e.g. Category 6 or 6A) installations
- Suitable for keystones up to 17.2mm wide
- Mounts to any standard 19-inch rack, cabinet or wall bracket
- Clear numbering on the front provides a quick, easy way to identify cable run
- 'Write on' label facility for port identification
- 'Snap in' removable rear cable management
- Earthing point provided
- Option to part or fully load panel
- Panel includes: 2 sets of cage nuts and cable ties




Specifications

- Dimensions (WXDXH): approx. 483mm x ? x 22mm, D= 97mm with or 30.5mm without cable management
- Weight: approx. 246g with or 152g without cable management
- Colour: front panel: silver, cable management: black
- Material: front panel: SPCC with nickel-plated finish, cable management: ABS



ROHS Compliant

Code: FFK24mt0.5su



NO:	PART NAME	Q'TY
1	0.5U 24 PORT PATCH PANEL(FRONT)	1
2	CABLE MANAGEMENT	1
3	GROUNDING SCREW(M3*8)	1

Unit of measurement: mm