

## UK Voice Modules



**UK Voice Modules KJ1 (PSTN Master), KJ2 (PABX), KJ3 (Slave)**

These Euro-sized high quality UK voice modules are designed to complement standard Cat5e and 6 modules. They are available as PSTN Master, PABX and Slave versions.

### **Features**

- Low profile (20mm)
- Shuttered to protect from dust ingress
- Fits standard “Euro” faceplates (50x25mm)
- Integral cable tie point does not obstruct cable termination
- Supplied with cable tie

### **Specifications**





- Dimensions: 25 x 50 x 20mm
- Colour: Bright white
- Materials: ABS UL94HB
- Termination: LSA+ style IDC

### **Special note:**


**PBX Master:** British Telecommunications have reported that the presence of a surge arrestor in the network termination can interfere with broadband signals in the UK. For this reason we are now supplying our PBX UK Voice Modules with both a ring capacitor and an out of service resistor so that we can now recommend this version for both PBX and PSTN connections. Please contact us with any queries.

ROHS Compliant

Code: KJ1





WIRE MAP:






12	BAG	PE	8X12.5cm	1
11	CABLE TIE	Nylon	2.5x80mm	1
10	SPRING	stainless steel	-----	1
9	Shutter	ABS	-----	1
8	PCB	FR-4	22x42.5x1.6mm	1
7	IDC CONTACT	PHOSPHOR COPPER	Krone style IDC/110	6
6	IDC Housing	PC	WHITE 3PIN D8	2
5	Sockets	PBT	6P6C 6U" Gold	1
4	Arrestor	/	STPA200	1
3	Resistance	/	470KΩ 1/4W	1
2	Capacitor	MET	185J/250V	1
1	HOUSING	ABS	25x50mm KI	1
NO.	NAME	MATERIAL	SPECIFICATION	Q'TY

ROHS Compliant

Code: KJ2




WIRE MAP:



⑪	CABLE TIE	Nylon	2.5x80mm	1
⑩	SPRING	stainless steel	-----	1
⑨	Shutter	ABS	-----	1
⑧	PCB	FR-4	22x42.5x1.6mm	1
⑦	IDC CONTACT	PHOSPHOR COPPER	Krone style IDC/110	6
⑥	IDC Housing	PC	WHITE 3PIN D8	2
⑤	Sockets	PBT	6P6C 6U" Gold	1
④	BAG	PE	8X12.5cm	1
③	Resistance	—	470KΩ 1/4W	1
②	Capacitor	MET	185J/250V	1
①	HOUSING	ABS	25x50mm KI	1
NO.	NAME	MATERIAL	SPECIFICATION	Q'TY


ROHS Compliant

Code: KJ3



WIRE MAP:

JACK	IDC
PIN1	PIN6
PIN2	PIN5
PIN3	PIN4
PIN4	PIN3
PIN5	PIN2
PIN6	PIN1



NO.	NAME	MATERIAL	SPECIFICATION	Q'TY
⑨	Shutter	ABS	-----	1
⑧	PCB	FR-4	22x42.5x1.6mm	1
⑦	IDC CONTACT	PHOSPHOR COPPER	Krone style IDC/110	6
⑥	IDC Housing	PC	WHITE 3PIN D8	2
⑤	Sockets	PBT	6P6C 6U" Gold	1
④	BAG	PE	8X12.5cm	1
③	CABLE TIE	Nylon	2.5x80mm	1
②	SPRING	stainless steel	-----	1
①	HOUSING	ABS	25x50mm KI	1