

Category 6/6A Unshielded Arc Latch Plug:



Category 6A Unshielded Arc Latch Plug (PRLGU):

Our Category 6/6A UTP snagless RJ45 8p8c arc latch plug avoids the need for an anti-snag from the strain relief boot; leads can more easily be removed from panels or sockets without the encumbrance of rubber boots. Strain relief boots can be omitted without risking snagging.

Features:

- Unshielded
- Compliant with Category 6A patch cord standard
- Snagless arc latch design avoids tangling and breakage of latch
- Three prong pin fits stranded or solid cores 23 – 26 AWG / 0.573 – 0.404mm
- Suitable for termination of solid or stranded UTP cables with sheath O.D. of 5.5 – 6.5mm
- Two piece design with 3 up 5 down configuration to maintain separation

Specifications:


- Net weight (including primary packaging): 82g
- Dimensions: 145 x 55 x 40mm (cardboard carton of 50)
- Colour: transparent
- Materials:
 - Housing: Polycarbonate UL94V-2
 - Contact blade: copper alloy
 - Contact pin: 50 μ m/1.27 μ m gold plating

Packaging: Single use plastic minimised - supplied in cardboard cartons of 50

Commodity code: 85444920

EAN: 5055386511690

Country of Origin: China



ROHS Compliant

Code: PRLGU

