

## 25 x 50 Dual Port Keystone Adaptor



### **25 x 50 Dual Port Keystone Adaptor (KA902je)**

These dual port 25 x 50 keystone adaptors have been designed for use with “Euro” faceplates to facilitate the use of 2 keystones in the space of a single Euro module

#### **Features:**

- 2 x 90 degree keystone entry
- Accommodates most keystones (up to width of 20.8mm) including HDMI and those that protrude beyond the faceplate, such as fibre, ‘F’ type and speaker connectors

#### **Specifications:**

- Weight:(including primary packaging) 4g
- Dimensions: 50 x 25 x11mm (in primary packaging)
- Colour: White (RAL 9003)
- Material: ABS UL94-HB

**Packaging:** Packed in individual poly bags and then in bag of 20.

**EAN:** 5055386513830

**Commodity code:** 84733020




**Country of Origin:** China




Illustrative Images




ROHS Compliant



## Specification :

 Material :  
 1. ABS, UL 94-HB, white


## 25 x 50 Keystone Angled Faceplate Adaptor



### **Keystone Angled Euro Faceplate Adaptor 25 x 50 (KA45\*pt)**

These angled adaptors have been designed for use in standard “Euro” 25 x 50 faceplates which easily connect into industry standard trunking, wall or floor box installations.

#### **Features**

- Angled modules minimize issues with bend radius and are suitable for use with shallow backboxes or larger keystones
- Available in bright white and black, for a variety of standard and decorative faceplates, with a stylish matt finish
- Accommodate most keystone jacks including jacks which protrude beyond the faceplate, such as fibre, ‘F’ type and speaker connectors
- Suitable for HDMI connectors

#### **Specifications**

- Colour: Black (KA45bkpt) or white (KA45whpt)
- Material: Flame Retardant ABS
- Dimensions: 25 x 24 x 50 mm (L x W x H)
- Weight: 4g approx
- Packaging: in individual polythene clipseal bag then in packs of 20

**Commodity code:** 84733020


**EAN:**


**KA45whpt:** 5055386511430

**KA45bkpt:** 5055386511522

**Country of Origin:** China

### Illustrative images





## 6C Angled Keystone Adaptor



### **6C Angled Keystone Adaptor (KA645Whpt, KA645Bkpt)**


6C shutterless keystone adaptor in both black and white.

#### ***Features:***

- Allows for standard sized keystones to be used in “6C” style faceplates
- Available in both white (for standard faceplates) and black (used in floor boxes etc.)
- Angled adaptor allows for reduced bend radius and better performance especially with more shallow back boxes
- Compatible with all of our keystone ranges (excepted our 90° angled keystones)

#### ***Specifications:***

- Net weight (incl. packaging): 4 g
- Dimensions (incl. packaging): 45 x 70 x 25 mm
- Colour: White (KA645Whpt) and Black (KA645Bkpt)
- Materials: ABS UL94V Polycarbonate



## 25 x 38 Keystone Angled Faceplate Adaptor



### Keystone angled faceplate adaptor 25 x 38 (KA6-45mc)

These 25 x 38 angled adaptors have been designed for use with “6C” 25 x 38 faceplates and POD/GOP boxes


#### **Features**

- Angled modules minimize issues with bend radius and are suitable for use with shallow backboxes or deeper keystones
- Sprung shutter
- Window and paper labelling facility
- Accommodate most keystone jacks


#### **Specifications**

- Colour: White (available to order in black)
- Material: ABS UL94-V0
- Dimensions: 23 x 25 x 48mm (Depth x W x H) approx. Protrudes about 16mm in front of mounting plate and 11mm behind
- Weight: 6g approx
- Packaging: in individual polythene bag then in packs of 20

ROHS Compliant



## **25 x 50 Keystone Angled Faceplate Adaptor**



### **Keystone angled faceplate adaptor 25 x 50 (KA45mc)**


**These 25 x 50 angled adaptors have been designed for use with “Euro” 25 x 50 faceplates**

#### ***Features***


- Angled modules minimize issues with bend radius and are suitable for use with shallow backboxes or larger keystones
- Available in bright white (for faceplates and trunking)
- Sprung shutter
- Window and paper labelling facility
- Suitable of Category 5e, 6 and 6A connectors and others, such as UK voice (shown above)

#### ***Specifications***

- Colour: White
- Material: ABS UL94-V0
- Dimensions: 52.1 x 25 x 29.31mm (L x W x D)
- Weight: 6g approx
- Packaging: in individual polythene bag then in packs of 20



## Keystone adaptor 25x50mm, angled entry faceplate adapter



### **Keystone adaptor 25x50mm, angled entry, faceplate adapter (KA45whje)**

These 25 x 50 angled adaptors have been designed for use with “Euro” 25 x 50 faceplates and have a built in sprung, sliding dustcover

#### ***Features:***

- Angled modules minimize issues with bend radius and are suitable for use with shallow backboxes or larger keystones
- Window and paper labelling facility
- Not suitable for keystones which protrude beyond the faceplate, such as fibre, ‘F’ type, speaker and HDMI connectors
- Fitted with a sprung, sliding shutter, which minimizes the effect of dust

**Specifications:**

- Net weight (including primary packaging): 8 g #20: 168g
- Dimensions: (including primary packaging) 25x50x40mm #20: 240x170x30mm
- Colour: White
- Materials: ABS UL 94-HB

**Packaging:** individually poly bagged then bagged in 20's

**Commodity code:** 85444920





**EAN:** 5055386507402

**Country of Origin:** China

**Illustrative image**

ROHS Compliant

**Code: KA45whje**



Specification :

Material :

1. Identification :
  - 1-1. I.D. Plate : PC, UL 94V-2
  - 1-2. Paper.
2. ABS, UL 94-HB, with white color.
3. ABS, UL 94-HB.
4. ABS, UL 94-HB.
5. ABS, UL 94-HB.
6. Stainless steel.

GENERAL  
TOLERANCE  
OF DIMENSIONS

X.XXX ±0.005  
X.XX ±0.05  
X.X ±0.1

Unit: mm

## 25 x 38 '6C' Keystone Angled Adaptors



### **Keystone angled faceplate adaptor 25 x 38 (KA6-45suwh/bk)**

These 25 x 38 angled adaptors have been designed for use with "6C" 25x38 faceplates and POD/GOP boxes

#### **Features**

- Angled modules minimize issues with bend radius and are suitable for use with shallow backboxes or larger keystones
- Sprung shutter
- Window and paper labelling facility
- Accommodate most keystone jacks

#### **Specifications**

- Colour: White or Black
- Material: ABS UL94-V0
- Dimensions: 25 x 38 x 22.3mm (L x W x H)
- Weight: 5g approx.

**Commodity code:** 84733020


#### **EAN:**

KA6-45suwh: 5055386503848  
KA6-45subk: 5055386504821

**Country of origin:** Taiwan

ROHS Compliant

Code: KA6-45su



## Keystone Faceplate Adaptor



### **Keystone faceplate adaptor (KA90y)**

These straight through adaptors have been designed for use in standard “Euro” 25 x 50 faceplates which easily connect into industry standard trunking, wall or floor box installations.


#### ***Features***

- Sprung shutter
- Window and paper labelling facility
- Accommodate most keystone jacks

#### ***Specifications***

- Colour: White (available to order in black)
- Material: ABS UL94-V0
- Dimensions: 24.8 x 49.8 x 14.6mm (W x H x D)
- Weight: 8g approx
- Packaging: in individual polythene bag then in packs of 20

ROHS Compliant

**Code: KA90y**

## Keystone Faceplate Adaptor



### **Keystone faceplate adaptor (KA90cav)**


These straight through adaptors have been designed for use in standard “Euro” 25 x 50 faceplates which easily connect into industry standard trunking, wall or floor box installations.

#### ***Features***

- Labelling facility
- Accommodate most keystone jacks including those which protrude beyond the faceplate, such as fibre, ‘F’ type and speaker connectors
- Suitable for HDMI connectors

#### ***Specifications***

- Colour: White (available to order in black)
- Material: ABS UL94-V0
- Dimensions: 24.8 x 49.8 x 14.5mm (W x H x D)
- Weight: 4g approx
- Packaging: in individual polythene bag then in packs of 20



**Packaging:** Individually poly bagged and then bagged in 20s

**Commodity code:** 84733020

**EAN Numbers:**

KA645Whpt – 5055386510228

KA645Bkpt – 5055386510235

**Country of Origin:** China

27/09/2022

**TUK Ltd, Unit 4, Wimbledon Stadium Business Centre, Riverside Road, London SW17 0BA**

Tel: 020 8946 6688 Fax: 020 8879 7410 E-mail: [sales@tuk.co.uk](mailto:sales@tuk.co.uk) Website: [www.tuk.co.uk](http://www.tuk.co.uk)